



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

VERSION 1

PRO RIG

TRADE BALUSTRADE FITTINGS 2017

ECON

PRICE REDUCTIONS

ACROSS ENTIRE RANGE

5 to 10% OFF

SHOP NOW

ROUND TUBE POSTS

see page 14



PRO RAIL
Professional Modular Railing Systems™

WIRE ROPE & FIXTURES

see page 7



CONTENTS

BALUSTRADE SYSTEMS 2

NEW ECON 4

WIRE & FITTINGS 7

HANDRAILS & FITTINGS 11

POSTS & FITTINGS 14

GLASS FITTINGS 16

TOOLS 18



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

STANDARD DIY SYSTEM™

Suitable for **hand swaging**. Suits **METAL** or **TIMBER** Posts

4x 8Gx32mm Screws (timber) **OR** 4mm Rivets (metal), 2x 5mm Saddles, 1x M5 Bottlescrew Jaw/Jaw, 2x 3.2mm Thimbles, 2x 3.2mm Swage Sleeves



FITTINGS ONLY

ECON

\$4.72 ^{+gst}

Add ECON 3.0mm 7x7 Wire @ \$0.65/metre

INSERT TENSION ROD SYSTEM™

Quick and easy to install with no bulky fittings. Suitable for **hand swaging**. Suits **TIMBER** Posts

2x M8 Threaded Inserts RHT, 2x 3.2mm Swage Terminals, 1x Tension Rod, 1x Threaded Cap, 1x Stop Bolt



FITTINGS ONLY

PRO RIG

\$9.15 ^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

PRO RIG

ORIGINAL DESIGN
Patent No. 2009100456

INSERT SWAGE STUD SYSTEM™

Extremely quick and easy to install. Suits **TIMBER** Posts

1x M6 Threaded Insert LHT, 1x M6 Swage Stud LHT, 1x M6 Threaded Insert RHT, 1x M6 Swage Stud RHT



FITTINGS ONLY

PRO RIG

\$9.30 ^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

PRO RIG

ORIGINAL DESIGN
Patent No. 2009100455

Factory Swaging required add \$2.50/end

JAW SWAGE BOTTLESCREW SYSTEM™

Perfect for straight or stair sections. Suits **TIMBER** Posts

2x 6x60mm Screw Eyes, 1x M5 Jaw Swage Bottlescrew, 1x Fork Terminal



FITTINGS ONLY

PRO RIG

\$11.94 ^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

ECON

\$7.30 ^{+gst}

Add ECON 3.2mm 1x19 Wire @ \$0.85/metre

Add Factory Swaging if required @ \$2.50/end

LAG SWAGE BOTTLESCREW SYSTEM™

Suits **TIMBER** Posts

1x M5 Lag Screw Swage Bottlescrew, 1x 40mm Lag Screw / 3.2mm RHT Swage Stud



FITTINGS ONLY

ECON

\$5.40 ^{+gst}

Add ECON 3.2mm 1x19 Wire @ \$0.85/metre

Add Factory Swaging if required @ \$2.50/end



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

JAW SWAGE BOTTLESCREW SYSTEM / FLIP TOGGLE™

Perfect for straight or stair sections. Suits **METAL** Posts

1x M6 Nutserts RHT, 1x 6x20mm 444 Eye Bolt, 1x M5 Jaw Swage Bottlescrew, 1x Flip Toggle, 1x 3.2mm Swage Terminal, 1x M6 Nut



FITTINGS ONLY

\$10.74^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

PRO RIG
ORIGINAL DESIGN

Optional Factory Swaging @ \$2.50/end

TENSIONER SWAGE STUD SYSTEM™

Use bevelled washers for stair sections. Suits **METAL** or **TIMBER** Posts

1x M6 Tensioner, 1x M6 Swage Stud, 1x Rod Terminal



FITTINGS ONLY

\$5.46^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

ECON

\$4.43^{+gst}

Add ECON 3.2mm 1x19 Wire @ \$0.85/metre

Add Factory Swaging if required @ \$2.50/end

NUTSERT TENSION ROD SYSTEM™

Quick and easy to install with no bulky fittings. Suitable for **hand swaging**. Suits **METAL** Posts

2x M8 Nutserts RHT, 2x Swage Terminals 3.2mm, 1x Tension Rod, 1x Threaded Cap, 1x Stop Bolt



FITTINGS ONLY

\$6.85^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

PRO RIG
ORIGINAL DESIGN
Patent No. 2009100456

Nutsert setting tool page 18.

NUTSERT SWAGE STUD SYSTEM™

Quick and easy to install with no bulky fittings. Suits **METAL** Posts

1x M6 Nutsert LHT, 1x M6 Swage Stud LHT, 1x M6 Nutsert RHT, 1x M6 Swage Stud RHT



FITTINGS ONLY

\$5.80^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre

PRO RIG
ORIGINAL DESIGN
Patent No. 2009100455

Factory Swaging required @ \$2.50/end

LAG SCREW SWAGE SYSTEM™

Better suited for short sections in soft timbers. Suits **TIMBER** Posts

1x 40mm Lag Screw / 3.2mm LHT 1x 40mm Lag Screw / 3.2mm RHT



FITTINGS ONLY

\$3.20^{+gst}

Add ECON 3.2mm 1x19 Wire @ \$0.85/metre

Add Factory Swaging if required @ \$2.50/end
Order 2 extra lag screws for pre-cutting threads in posts.



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

JAW SWAGE BOTTLESCREW SYSTEM™

Perfect for horizontal, vertical or stair sections. Suits METAL Posts

2x M6 Nutsert, 1x M5 Jaw Swage Bottlescrew, 1x Fork Terminal, 2x 6x20 444 Eye Bolts, 2x M6 Nuts



FITTINGS ONLY



\$13.28^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre



\$9.52^{+gst}

Add ECON 3.2mm 1x19 Wire @ \$0.85/metre

Add Factory Swaging if required @ \$2.50/end

Nutsert setting tool page 18.

TENSIONER SWAGE STUD SYSTEM / FLIP TOGGLE™

Use bevelled washers for stair sections. Suits METAL Posts

1x M6 Tensioner, 1x M6 Swage Stud, 1x Flip Toggle, 1x 3.2mm Swage Terminal



FITTINGS ONLY



\$6.51^{+gst}

Add ProRig 3.2mm 1x19 Wire @ \$0.99/metre



Add Factory Swaging if required @ \$2.50/end



- versus -



ProRig Hardware has been the benchmark for the highest quality stainless steel hardware for over ten years and will continue to be the Miami Stainless flagship offering, but every now and then you need to offer more than just quality and service... Introducing Econ Hardware; The Quality Standard.

Miami Stainless has introduced a larger range of Econ Hardware products, which now gives you a greater choice and the flexibility to meet the needs of your customers when your budget might be a little tight. Best of all, you still receive the same unmatched service and expert knowledge that you have come to expect from Miami Stainless.

So what exactly is the difference between ProRig and Econ?



Benefits



Quality



Quality



Reliability



Design



Durability



Price



Precision



Usability



Materials



Maintenance



Controls



Features	Material Grade	Electropolish	Break Loads	Performance	Visual Appearance	Product Satisfaction
	316 / 304	✓	✓	10/10	10/10	10/10
	316 / 304		✓	6/10	7/10	8/10




MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

TURNBUCKLES

All sizes in mm - All prices exclude GST



Code	Type	Thread	L-Min	L-Max	ID	ID2	A	PRO RIG	ECON
S311HE-04	Hook/Eye	M4	102	148	8	7	4	2.22	-
S311HE-05	Hook/Eye	M5	120	160	10	8	5	2.95	2.30
S311HE-06	Hook/Eye	M6	155	220	12	10	6	4.50	2.41
S311HE-08	Hook/Eye	M8	225	290	13.5	12	8	7.65	4.03

Code	Type	Thread	L-Min	L-Max	ID	D	PRO RIG	ECON
S311E-04	Eye/Eye	M4	102	148	8	4	2.12	-
S311E-05	Eye/Eye	M5	120	170	10	5	3.08	2.01
S311E-06	Eye/Eye	M6	150	220	12	6	4.48	3.20
S311E-08	Eye/Eye	M8	210	300	14	8	7.90	4.08
S311E-10	Eye/Eye	M10	245	350	16.5	10	12.60	6.59
S311E-12	Eye/Eye	M12	315	470	20	12	22.00	12.80


Code	Type	Thread	L-Min	L-Max	A	H	PRO RIG	ECON
S311J-05	Jaw/Jaw	M5	120	160	6	9	5.60	3.34

Please specify ProRig or Econ range when ordering. See website for other sizes.

WIRE TERMINALS FOR HYDRAULIC SWAGING

All sizes in mm - All prices exclude GST

Swage Studs AISI 316




S7801L - Left Hand Thread S7801R - Right Hand Thread ECS - Econ Short Swage Stud

Code	For Wire	Thread	L	L1	L2	D	PRO RIG	ECON
S7801L-02.50540	2.5mm	5mm LHT	86	40	35	5.5	1.67	-
S7801R-02.50540	2.5mm	5mm RHT	86	40	35	5.5	1.40	-
S7801L-030540	3.2mm	5mm LHT	90	40	38	6	2.05	-
S7801R-030540	3.2mm	5mm RHT	90	40	38	6	2.05	-
S7801L-030625	3.2mm	6mm LHT	65	25	30	6	-	1.35
S7801R-030625	3.2mm	6mm RHT	65	25	30	6	-	1.35
S7801L-030635	3.2mm	6mm LHT	75	35	25	6	2.10	1.52
S7801R-030635	3.2mm	6mm RHT	72	35	25	6	2.10	1.52
S7801L-030640	3.2mm	6mm LHT	90	40	38	6	2.08	1.05
S7801R-030640	3.2mm	6mm RHT	90	40	38	6	2.08	1.05
S7801L-030640ECS	3.2mm	6mm LHT	78	40	25	6	-	1.60
S7801R-030640ECS	3.2mm	6mm RHT	78	40	25	6	-	1.60
S7801R-030648	3.2mm	6mm RHT	97	48	37	6	2.20	-
S7801R-030675	3.2mm	6mm RHT	126	75	40	6	1.90	-
S7801L-040648	4mm	6mm LHT	110	48	45	7.5	2.92	2.00
S7801R-040648	4mm	6mm RHT	110	48	45	7.5	2.90	2.05
S7801L-040857	4mm	8mm LHT	118	57	45	7.5	2.10	-
S7801R-040857	4mm	8mm RHT	118	57	45	7.5	2.55	-
S7801R-040888	4mm	8mm RHT	143	88	40	6	-	2.52
S7801L-050860	5mm	8mm LHT	128	57	51	9	4.15	-
S7801R-050860	5mm	8mm RHT	128	57	51	9	4.10	-
S7801R-0510115	5mm	10mm RHT	177	115	58	10	6.85	-
S7801R-061280	6mm	12mm RHT	162	79	63	12.5	7.55	-
S7801R-081280	8mm	12mm RHT	175	80	80	14	-	9.10
S7801R-0816100	8mm	16mm RHT	214	102	80	16	-	10.70
S7801R-1020105	10mm	20mm RHT	225	105	100	18	26.50	-
S7801R-1220116	12mm	20mm RHT	278	116	144	21.5	42.55	-
S7801R-1424138	14mm	24mm RHT	330	140	170	25	55.00	-
S7801R-1624170	16mm	24mm RHT	387	170	192	28	66.50	-

Please specify ProRig or Econ range when ordering. Larger sizes also available ex-stock.


Hex Head Tensioner AISI 316



Code	Thread	L	D	D1	Allen Key	PRO RIG	ECON
S7500-05PR	M5	35	8	12	7/32"	2.35	-
S7500-05EC	M5	35	8	12	5mm	-	2.20
S7500-06PR	M6	38	8	12	1/4"	1.86	-

Please specify ProRig or Econ range when ordering.


Rod Terminal AISI 316



Code	For Wire	Hex Die	L	D	D1	PRO RIG	ECON
S7806-03025	3.2mm	2.5mm	37	5.2	8	-	1.16
S7806-0303	3.2mm	3.2mm	35	6.2	10	1.50	1.05
S7806-0404	4mm	4mm	41	7.2	12	1.95	1.30


Please specify ProRig or Econ range when ordering.

Eye Terminal AISI 316



Code	For Wire	L	D	D1	Price
S7802-03	3.2mm	55	6	6.5	1.62
S7802-04	4mm	65	7.5	8.5	1.55
S7802-05	5mm	87	9	10.5	5.65
S7802-06	6mm	107	12	13	12.05
S7802-08	8mm	133	16	14.5	18.70

Fork Terminal AISI 316



M = Mini - A shorter length for a streamline look.

Code	For Wire	L	L1	D	D1	PRO RIG	ECON
S7803-0305	3.2mm	65	7	6.3	5	2.70	1.52
S7803M-0305	3.2mm	45	7	6.3	5	-	1.95
S7803-0306	3.2mm	65	8	6.3	6	2.60	-
S7803-0406	4mm	72	8	7	6	3.85	2.16
S7803-0408	4mm	75	10	7	8	3.67	-
S7803-0508	5mm	85	11.5	9	8	4.75	-
S7803-0612	6mm	108	15	13	12	8.95	-
S7803-0814	8mm	148	15	16	14	17.60	-
S7803-1016	10mm	154	17	18	16	26.00	-
S7803-1220	12mm	176	20	22	20	37.95	-
S7803-1424	14mm	257	30	25	24	58.30	-
S7803-1624	16mm	281	30	28.5	24	69.60	-

Please specify ProRig or Econ range when ordering.



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

WIRE TENSIONERS

Typical safety factor for Maximum Working Load (MWL) is 1/4 of Break Load (BL) All sizes in mm - All prices exclude GST


Bottlescrew Jaw/Jaw AISI 316



Code	Thread	Pin	L-Min	L-Max	A	H	BL	PRO RIG	ECON
S312J-05	M5	5mm	130	190	7	9	750	5.50	2.90
S312J-06	M6	6mm	145	220	8	10	1400	7.60	5.26
S312J-08	M8	8mm	170	255	11	15	2200	11.88	8.80
S312J-10	M10	10mm	195	300	11.5	17	3450	19.05	-
S312J-12	M12	12mm	245	380	14	27	5000	29.80	-
S312J-16	M16	16mm	355	500	20	25	8000	56.15	-
S312J-20	M20	20mm	385	585	20	28	10500	90.70	-
S312J-24	M24	24mm	490	720	30	40	14500	146.60	-

Please specify ProRig or Econ range when ordering.


Bottlescrew Jaw/Swage AISI 316



Code	Thread	For Wire	L-Min	L-Max	D	A	H	PRO RIG	ECON
S312T-0503	M5	3.2mm	160	225	7	7	9	6.00	3.42
S312M-0503	M5	3.2mm	113	155	7	7.5	9	4.75	3.38
S312T-0603	M6	3.2mm	175	250	7	8	9	8.08	5.90
S312T-0604	M6	4.0mm	185	270	8.1	8	9	9.60	6.25
S312T-0805	M8	5.0mm	210	300	10.2	11	11	12.30	-

Please specify ProRig or Econ range when ordering. See website for other sizes.

Lag Screw/Swage Stud AISI 316 (wood-screw thread)




Lag Screw / Swage Studs are tightened using the flats created by hydraulically swaging the fitting.

Code	Thread	L	D	T	For Wire	Pull Out (kg)*	PRO RIG	ECON
S7831L-030630	M6x30mm LHT	70	6	30		400	1.50	-
S7831R-030630	M6x30mm RHT	70	6	30	3.2mm	400	1.50	-
S7831L-030640	M6x40mm LHT	90	6	40	3.2mm	580	1.60	1.44
S7831R-030640	M6x40mm RHT	90	6	40	3.2mm	580	1.60	1.46

*Pull out strengths are based on the maximum pull out loads achieved using MGP 10 structural pine. They are intended as a guide only and a safety factor should be applied to these readings depending on the situation of use. Much greater results can be achieved using hardwoods; for example Kwila will hold around 80-90% more tension.

Bottlescrew Lag Screw/Swage AISI 316




Code	Thread	For Wire	L-Min	L-Max	D	PRO RIG	ECON
S312LS-0503	M5	3.2mm	198	263	7	-	3.80

WIRE TERMINALS FOR HAND SWAGING

All sizes in mm - All prices exclude GST

Thimbles AISI 316




S = Small Eye

Code	For Wire	Grade	A	L	Price
S234-025	2.5mm	316	8	23	0.29
S234-03S	3.2mm	316	10	24	0.18
S234-03	3.2mm	316	12	29	0.28
S234-04S	4.0mm	316	11	22	0.24
S234-04	4.0mm	316	13	34	0.38
S234-05	5.0mm	316	15	37	0.48
S234-06S	6.0mm	316	15	39	0.24
S234-06	6.0mm	316	17	40	0.68
S234-08	8.0mm	304	22	48	0.76
S234-10	10.0mm	304	25	59	0.81
S234-12	12.0mm	316	29	66	1.52
S234-14	14.0mm	316	34	74	1.82
S234-16	16.0mm	316	37.5	83	1.90

"S" type thimbles are a smaller size and well suited to wire balustrade.

Croc Swage Sleeves - Ferrules (Nickel Plated Copper)



A safety factor should be applied to these readings depending on the situation of use. Correct tool must be used to swage.




Code	Suits Wire	Brand	D	L	A	H	Price
CS-112NP	1.2mm	Croc	3	9	1	5	0.25
CS-116NP	1.6mm	Croc	4	10	1.5	6	0.25
CS-120NP	2.0mm	Croc	5.5	11	2	8	0.32
CS-125NP	2.5mm	Croc	6	10	2.5	7	0.36
CS-130NP	3.2mm	Croc	7	13	3.7	10.5	0.31
CS-140NP	4mm	Croc	9.5	16	4	14.5	0.79
CS-150NP	5mm	Croc	11	22	5.5	17	1.58
CS-160NP	6mm	Croc	14	28	7	20	2.02
CS-180NP	8mm	Croc	17.5	29	9	27	3.65

Heat treated for softer finish and stronger hold.

Improved plating process to minimise flaking.

Exceeds breaking strain of wire with no slippage.

Clamp Swage Sleeves - Ferrules (Nickel Plated Copper)



A safety factor should be applied to these readings depending on the situation of use.

Code	Suits Wire	Brand	D	L	A	H	Price
CP-115NP	1.6mm	Clamp	4.5	9	2	7	0.37
CP-120NP	2.0mm	Clamp	5	9	2	7	0.42
CP-125NP	2.5mm	Clamp	7	11	2.9	10	0.59
CP-130NP	3.2mm	Clamp	7	13	3.7	10.5	0.64
CP-140NP	4mm	Clamp	9	16	4	14	1.34
CP-150NP	5mm	Clamp	11	18	5.5	17	1.90
CP-164NP	1/4"	Clamp	13	20	7	20	2.89
CP-160*	6mm	Clamp	17	26	6.3	26	2.43
CP-180*	8mm	Clamp	16	22	8.2	27	6.51
CP-199*	10mm	Clamp	18.5	34	10	32	10.36



Swaging Tools Page 19

*Copper swage sleeves, NOT nickel plated

FREE GROUND EXPRESS SHIPPING ON ALL ORDERS OVER \$200*

Offer is available for all orders including phone, fax and web. Discount on web orders is automatically applied at checkout.

SHIP ANYWHERE IN AUSTRALIA

*Receive free ground express shipping on orders over \$200 excluding GST. Express services by air and international orders do not apply. Excludes tube over 4 metres in length.



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

WIRE ROPE

BS = Breaking Strain (kg) All sizes in mm - All prices exclude GST

Wire Rope AISI 316

NEW 50M & 100M Rolls!

Code	Size	Construction	BS	\$/50m Roll	\$/100m Roll
W03.277	3.2	7x7	685	48.65	88.45
W03.2119	3.2	1x19	857	54.90	99.87



PRO RIG

ProRig stainless steel wire rope is produced by a single Korean manufacturer with stringent quality control procedures and more than 30 years experience in manufacturing wire rope products. Because ProRig wire rope comes from a single manufacturer you can be assured you are getting a consistently high quality product and none of the problems associated with budget wires. Miami Stainless has confidently supplied this wire rope in Australia now for over ten years.

- Reliable Breaking Strains
- Superior Rust Resistance
- Superior Surface Finish
- AISI 316 Stainless Steel

Wire Rope AISI 316

Code	Size	Construction	BS	\$/Metre	\$/305m Roll	\$/1000m Roll
W01.277	1.2	7x7	87	0.36	87.75	-
W01.677	1.6	7x7	165	0.43	109.35	375.50
W01.6119	1.6	1x19	215	0.34	95.10	-
W02.77	2.0	7x7	258	0.45	132.40	-
W02.719	2.0	7x19	230	0.79	216.20	-
W02.119	2.0	1x19	336	0.40	121.95	-
W02.577	2.5	7x7	400	0.64	180.60	-
W02.5719	2.5	7x19	367	1.00	268.70	-
W02.5119	2.5	1x19	525	0.68	181.20	-
W03.77	3.0	7x7	585	0.88	230.90	756.95
W03.277	3.2	7x7	685	0.95	245.15	803.80
W03.2719	3.2	7x19	695	1.05	291.45	955.50
W03.2119	3.2	1x19	857	0.99	276.90	924.10
W04.77	4.0	7x7	1030	1.48	385.90	1287.75
W04.719	4.0	7x19	960	1.70	444.30	1360.90
W04.119	4.0	1x19	1340	1.70	452.65	-
W05.77	5.0	7x7	1620	2.21	583.05	1636.35
W05.719	5.0	7x19	1490	2.00	596.20	1792.10
W05.119	5.0	1x19	2019	2.49	660.60	-
W06.77	6.0	7x7	2330	3.27	814.15	-
W06.719	6.0	7x19	2150	3.21	826.35	-
W06.119	6.0	1x19	2910	3.62	955.05	-
W08.77	8.0	7x7	3950	5.47	1390.00	-
W08.719	8.0	7x19	3820	5.29	1379.25	-
W08.119	8.0	1x19	5044	6.49	1687.85	-
W10.77	10.0	7x7	5517	7.04	1894.10	-
W10.719	10.0	7x19	5106	8.41	2228.55	-
W10.119	10.0	1x19	7070	9.89	2731.50	-
W12.77	12.0	7x7	7948	9.95	2978.10	-
W12.719	12.0	7x19	7350	11.07	3142.20	-
W12.119	12.0	1x19	12090	13.35	3538.90	-
W14.719	14.0	7x19	11690	13.47	3900.28	-
W14.119	14.0	1x19	16190	18.26	5020.40	-
W16.719	16.0	7x19	14460	18.63	5116.60	-
W16.119	16.0	1x19	20385	23.00	6112.40	-

ECONOMY WIRE ROPE

BS = Breaking Strain (kg) All sizes in mm - All prices exclude GST

ECON

Econ Hardware is the new quality standard for stainless steel fixtures and fittings. At competitive prices, the new, larger range of Econ stainless steel hardware gives your budget more flexibility while you still enjoy the trusted quality and unrivalled service you expect from Miami Stainless.



ECON Wire Rope AISI 316


Code	Size	Construction	BS	\$/Metre	\$/50m Roll	\$/100m Roll	\$/305m Roll
WE0377	3.0	7x7	548	0.65	29.55	57.95	173.25
WE03.2119	3.2	1x19	1052	0.85	38.45	75.75	225.60
WE03.2719	3.2	7x19	663	0.93	-	-	246.50
WE03.277	3.2	7x7	626	0.69	-	-	183.80
WE04.77	4.0	7x7	918	1.03	-	-	273.50
WE04.119	4.0	1x19	1449	1.27	-	-	335.60
WE04.719	4.0	7x19	871	1.18	-	-	313.30
WE05.719	5.0	7x19	1359	1.74	-	-	461.20
WE06.719	6.0	7x19	1917	2.50	-	-	664.20

ECON Wire Rope AISI 304

Code	Size	Construction	BS	\$/Metre	\$/305m Roll
WE03.2719-304	3.2	7x19	663	0.83	219.20
WE04.719-304	4.0	7x19	871	1.03	274.30
WE04.77-304	4.0	7x7	918	0.90	237.85
WE05.719-304	5.0	7x19	1359	1.52	402.70
WE06.719-304	6.0	7x19	1917	2.19	579.80

NOTES ON WIRE

- Miami Stainless only stock and sell the highest quality stainless steel wire rope
- Prorig is Korean, Econ is Chinese
- Prices shown per metre are for lengths of wire cut from the roll
- Complete rolls of wire are more cost effective per metre
- 7x19 strand wire is very flexible that can be hand swaged
- 7x7 strand is semi-flexible wire that can be hand swaged
- 1x19 wire is the least flexible wire and will fatigue if bent around tight corners.
- Ends should be swaged with a hydraulic press





MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

PVC COATED WIRE ROPE

All sizes in mm - All prices exclude GST

Code	Size	Construction	BS	\$/Metre	\$/305m Roll
WP02.077-CL	2.0	7x7	260	0.63	160.20
WP02.577-CL	2.5	7x7	400	1.03	255.15
WP02.577-BK	2.5	7x7	400	0.99	237.25
WP02.577-WH	2.5	7x7	400	0.71	237.25
WP02.577-BU	2.5	7x7	400	0.71	237.25
WP02.577-RD	2.5	7x7	400	0.71	237.25
WP03.277-CL	3.2	7x7	665	1.55	385.65
WP03.277-WH	3.2	7x7	665	1.58	385.65
WP03.277-BU	3.2	7x7	665	1.33	344.15
WP03.277-RD	3.2	7x7	665	1.38	379.45
WP03.2719-BK	3.2	7x19	611	1.37	334.75
WP0477-CL	4.0	7x7	1030	2.44	564.95
WP04719-BK	4.0	7x19	960	2.54	624.95
WP04719-WH	4.0	7x19	960	2.14	650.75

Code	Size	Construction	BS	\$/Metre	\$/305m Roll
WP04719-BU	4.0	7x19	960	2.19	636.10
WP04719-RD	4.0	7x19	960	2.15	650.80
WP0577-CL	5.0	7x7	1620	2.66	719.95
WP05719-BK	5.0	7x19	1490	3.08	763.45
WP05719-WH	5.0	7x19	1490	2.84	763.45
WP05719-RD	5.0	7x19	1490	3.19	794.95
WP06719-BK	6.0	7x19	2150	4.62	1151.10
WP06719-WH	6.0	7x19	2150	3.92	1126.20



Other PVC colours available. Please enquire for price and availability.

BEVELLED WASHERS

All sizes in mm - All prices exclude GST

Bevelled Washers AISI 316



Code	Angle	I.D	O.D	Surface	Price
S7702-0530	30 Deg	5	11	Flat	1.80
S7702-0540	40 Deg	5	11	Flat	1.80
S7702-0630	30 Deg	6	13	Flat	1.80
S7702-0635	35 Deg	6	13	Flat	2.30
Recommended S7702-0637	37 Deg	7.3	10	Flat	1.90
S7702-0825	25 Deg	8	17	Flat	1.90
S7702-0830	30 Deg	8	17	Flat	1.90
S7702-0835	35 Deg	8	17	Flat	2.45
Recommended S7702-0837	37 Deg	8.3	12	Flat	2.05

Bevelled washers are used on stair sections where a tensioner and rod terminal are used.

Bevelled Concaved Washers AISI 316



Code	Angle	I.D	O.D	Surface	Price
S7702C-0637	37 Deg	7.3	10	2"	1.45
S7702C-0837	37 Deg	8.3	12	2"	1.50

Bevelled concave washers are used when a tensioner and terminal are being used with 2" posts on stair sections.

Concaved Surface to suit 2" tube.

SWIVEL CONNECTORS


All sizes in mm - All prices exclude GST

Swivel Connector AISI 316



Code	Int. Thread	Ext. Thr	Angle	D	D1	L	L1	L2	Price
S7812L-0620	M6 LHT	M6 LHT	25-40°	8	12	20	40	50	6.55
S7812R-0620	M6 RHT	M6 RHT	25-40°	8	12	20	40	50	6.55

Ideal for use with a nutsert swage stud system on stairs.



IDEAL FOR USE WITH SWAGE STUDS

ESSENTIAL TOOLS

All sizes in mm - All prices exclude GST

PRO RIG Multi Tool


ProRig C Spanner
Code CSPAN-PR-304



C-Spanner for 6mm Bottlescrews



Tightening Tool for Lag Screws and 3.2mm Swage Studs



C-Spanner for 5mm Bottlescrews

\$9.60 (+gst)

Tightening Tool for Tension Rods



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE


PRO RIG TENSION ROD SYSTEM



COMPONENTS

All sizes in mm - All prices exclude GST


Finishing Stop AISI 316



Code	Thread	A	D1	T	L	PRO RIG
S3340-08	8mm RHT	3.7	12	7.5	15	1.25

Use PL-10 soft jaw pliers to lock off finishing stop.


Tension Rod AISI 316



Code	Thread	A	L	PRO RIG
S3320-0835	8mm RHT	3.7	3.5	1.25

Flats on rod allow for tensioning of wires using a small shifter or spanner.

Blind Nut Rivets AISI 304 (for metal posts)




L- Left Hand Thread R- Right Hand Thread

Code	Thread	Grip Range	Drill Size	L	D1	Price
SBRNL-064.0	M6	0.7-4.0	10	15	12.7	0.90
SBRNR-064.0	M6	0.7-4.0	10	15	12.7	0.70
SBRNL-066.6	M6	4.2-6.6	10	18	12.7	0.90
SBRNR-066.6	M6	4.2-6.6	10	18	12.7	0.70
SBRNR-083.0	M8	0.5-3.0	11	18	15	0.90
SBRNR-085.0	M8	3.0-5.5	11	20	15	0.90
SBRNR-104.5	M10	3.0*4.5	13	24	16	0.95

Grip range indicates the material thickness suitable for use with nutsert.

Swage Terminal AISI 316




*2940N = 300kg

Code	For Wire	Hex Die	Crimps	D	L	Max Hold	PRO RIG
S7807-03	3.2mm	2.5mm	4	5.5	23	2940N*	0.60

Max Hold indicates maximum hold achieved with HX-50 swaging tool. Higher results can be achieved with hydraulic swaging.


Threaded Inserts AISI 304 (for timber posts)



Code	Thread	D	L	Drill Size	Hex Drive	Pull Out (kg)*	PRO RIG
S3310R-0832	8M RHT	14	30	9.5mm	8mm AF	810	1.95

*Pull out strengths are based on the maximum pull out loads achieved using MGP 10 Structural Pine. They are intended as a guide only and a safety factor should be applied to these readings depending on the situation of use. Much greater results can be achieved using hardwoods; for example Kwila will hold around 80-90% more tensions.

Finishing Cap AISI 316



Code	Thread	D	D1	L	PRO RIG
S3330-0825	8mm RHT	3.7	10	25	1.55

Use PL-10 soft jaw pliers to lock off finishing cap.

TENSION ROD SYSTEM INSTALLATION TOOLS

All sizes in mm - All prices exclude GST

Hex Swaging Tool



Code	To Suit	Brand	Quality	Price
HX-50	7806-03	OPT	Very Good	70.70

The HX-50 tool is a simple to use tool ideal for quick and easy installation, as well as eliminating the need for expensive hydraulic swaging equipment. Note: Standard hand swaging tools will not be suitable.

Soft Jaw Pliers



Code	To Suit	Brand	Quality	Price
PL-10	3330-0825 & 3340-08	OPT	Very Good	11.20

The PL-10 pliers have soft plastic jaws suitable for locking off the finishing cap and finishing stop without scratching the surface. The PL-10 pliers come with a spare set of soft jaws.


PRO RIG INSERT/NUTSERT SWAGE STUD SYSTEM



COMPONENTS

Swage studs found on page 5. All sizes in mm - All prices exclude GST


Threaded Inserts AISI 304 (for timber posts)



Code	Thread	D	L	Drill Size	Hex Drive	Pull Out (kg)*	PRO RIG
S3310L-0632	6M LHT	12.5	32	7.5	6mm AF	670	2.55
S3310R-0632	6M RHT	12.5	32	7.5	6mm AF	670	2.55

*Pull out strengths are based on the maximum pull out loads achieved using MGP 10 Structural Pine. They are intended as a guide only and a safety factor should be applied to these readings depending on the situation of use. Much greater results can be achieved using hardwoods; for example Kwila will hold around 80-90% more tensions.

Blind Nut Rivet (Nutsert) LHT/RHT AISI 304 (for metal posts)



L- Left Hand Thread R- Right Hand Thread

Code	Grip Range	Hole Size	Flange O.D	L	D1	Price
SBRNL-064.0	0.7 - 4.0mm	10mm	12.7	15	12.7	0.90
SBRNR-064.0	0.7 - 4.0mm	10mm	12.7	15	12.7	0.70
SBRNL-066.6	4.2 - 6.6mm	10mm	12.7	18	12.7	0.90
SBRNR-066.6	4.2 - 6.6mm	10mm	12.7	18	12.7	0.70

Grip range indicates the material thickness suitable for use with Nutsert. HN-02 required for installation of nut rivets.



MIAMI STAINLESS


EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

PRO RIG® FLIP TOGGLE™ BALUSTRADE SYSTEM

COMPONENTS

All sizes in mm - All prices exclude GST

Swage Terminal AISI 316



PRO RIG
ORIGINAL DESIGN

Code	For Wire	Hex Die	D	L	PRO RIG
S7807-03	3.2mm	2.5mm	5.5	23	0.60

ProRig Flip Toggle™ AISI 316 Australian Patent No. 2010101014



REDUCE INSTALLATION
TIME BY UP TO 50%



PRO RIG
ORIGINAL DESIGN

Code	For Wire	Hole Size	Pull Out 1	Pull Out 2	D	L	PRO RIG
S7808-03	3.2mm	6.0mm	2940N*	4900N**	5.6	20	1.95

1. Hold achieved when using HX-50 hex hand swaging tool.
2. Hold achieved when factory swaged or using CO-630 hydraulic swage press. *2940N = 300kg, **4900N = 500kg

INSTRUCTIONS FOR USE



Step 1

Pre-drill tube post with a 6mm hole and insert Flip Toggle.



Step 2

The flip toggle will flip automatically and adjust into place.



Step 3

Finished. Streamline stop end in place with no visible fittings.




Scan the QR code to see our online video

POST FIXINGS

All sizes in mm - All prices exclude GST

Screw Eyes AISI 316




6mm Econ H=5 D1=12

Code	D	L	A	H	D1	PO (kg)*	PRO RIG	PO (kg)*	ECON
S3182-0555	5	55	5.2	6	12	780	1.30	-	-
S3182-0640	6	40	6.2	7	14	526	1.45	574	1.00
S3182-0660	6	60	6.2	7	14	800	1.62	709	1.18
S3182-0860	8	60	8.2	9	19	890	2.36	-	-

Please specify ProRig or Econ range when ordering.
*PO (Pull Out Strength) is based on the maximum pull out loads achieved using MGP 10 structural pine.


Eye Nut Screw Eye AISI 316



Code	D	L	A	H	D1	Price
S3291-05060	5	60	11	5	20.5	1.45
S3291-06060	6	60	14	6	26	2.35
S3291-08080	8	80	18	8	33	3.85

Larger sizes also available.


Eye Bolts (444 Type) AISI 316



Code	D	L	L1	A	H	Price
S444-610	M6	12	10	6.3	7	1.30
S444-620	M6	20	15	6.3	7	1.45
S444-640	M6	40	25	6.3	7	2.00
S444-655	M6	55	35	6.3	7	1.95

444 type eye bolts are ideal for use with blind nut rivets.


Saddles (Small Eye) AISI 316



Code	D	L	H1	L1	L2	A1	Price
S322-05S	5mm	43	11	28	6	4	0.86

Suits 5mm & 6mm bottlescrews.
This smaller eye saddle has a neater appearance than standard saddles, as the eye is hidden behind the jaw of the bottlescrew or fork terminal.

Saddles (Eye Straps) AISI 316 / 304



*ProRig product AISI 316 **5mm Econ Saddles - L1=40mm

Code	D	L	H1	L1	L2	A1	PRO RIG	ECON
S322-04*	4mm	42	10	32	17	3.5	0.39	-
S322-05	5mm	52	13	38**	21	4	0.50	0.34
S322-06	6mm	60	15	44	21	5	0.62	0.56
S322-08	8mm	64	17	50	25	6	1.02	0.86

Other sizes also available.
ProRig saddles are AISI 304. Please specify ProRig or Econ range when ordering.

Eye Bolts (With Nut & 2 Washers) AISI 316



Code	T	L	A	D	Price
S3191-06040	M6	40	13	6	0.90
S3191-06060	M6	60	13	6	0.98
S3191-06080	M6	80	13	6	1.05
S3191-08060	M8	60	17	8	2.20
S3191-08080	M8	80	17	8	2.45
S3191-08100	M8	100	17	8	2.90

Larger sizes also available.



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

TENSION GAUGE

All sizes in mm - All prices exclude GST



ProRig Tension Wire Gauge

Code **WTC-01**

Simple, durable and compact gauge designed to measure wire balustrade tension for accurate compliance with Australian NCC regulations.



\$48.20 (+gst)



Professional Modular Handrail Systems™

ADJUSTABLE SADDLES

All sizes in mm - All prices exclude GST



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5025R-16SF	285g	19.50
P5025R-30SF	285g	15.95



Mirror Polish Shown

STAIN FINISH

Code	Weight	Price
P5025F-16SF	285g	19.55
P5025F-30SF	285g	25.55

MIRROR POLISH		
Code	Weight	Price
P5025R-16MP	285g	19.50
P5025R-30MP	285g	15.95

MIRROR POLISH		
Code	Weight	Price
P5025F-16MP	285g	19.55
P5025F-30MP	285g	25.55

FIXED SADDLES

All sizes in mm - All prices exclude GST



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5024R-16SF	285g	19.15
P5024R-30SF	285g	17.70



Mirror Polish Shown

STAIN FINISH

Code	Weight	Price
P5024F-16SF	285g	17.20
P5024F-30SF	285g	23.80

MIRROR POLISH		
Code	Weight	Price
P5024R-16MP	285g	19.15
P5024R-30MP	285g	17.70

MIRROR POLISH		
Code	Weight	Price
P5024F-16MP	285g	17.20
P5024F-30MP	285g	23.80

FIXED CORNER SADDLES

All sizes in mm - All prices exclude GST



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5024R90-16SF	320g	19.35
P5024R90-30SF	320g	27.55



Mirror Polish Shown

STAIN FINISH

Code	Weight	Price
P5024F90-16SF	320g	23.30
P5024F90-30SF	320g	24.25

MIRROR POLISH		
Code	Weight	Price
P5024R90-16MP	320g	19.35
P5024R90-30MP	320g	27.55

MIRROR POLISH		
Code	Weight	Price
P5024F90-16MP	320g	23.30
P5024F90-30MP	320g	24.25

FIXED SADDLES (to suit 1" Tube)

All sizes in mm - All prices exclude GST



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5026R-16SF	123g	9.96



Mirror Polish Shown

STAIN FINISH

Code	Weight	Price
P5026F-16SF	114g	9.96

MIRROR POLISH		
Code	Weight	Price
P5026R-16MP	123g	10.13

MIRROR POLISH		
Code	Weight	Price
P5026F-16MP	114g	10.13

END FITTINGS

All sizes in mm - All prices exclude GST



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5032-16SF	208g	11.90



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5400-16SF	148g	11.20



Mirror Polish Shown

STAIN FINISH

Code	Weight	Price
P5062-16SF	390g	21.60



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5020-16SF	100g	4.95



Satin Finish Shown

STAIN FINISH

Code	Weight	Price
P5043-16SF	95g	7.90

MIRROR POLISH		
Code	Weight	Price
P5032-16MP	208g	11.90

MIRROR POLISH		
Code	Weight	Price
P5400-16MP	148	11.20

MIRROR POLISH		
Code	Weight	Price
P5062-16MP	390g	21.60

MIRROR POLISH		
Code	Weight	Price
P5020-16MP	100g	4.95

MIRROR POLISH		
Code	Weight	Price
P5043-16MP	95g	7.90



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

PRO RAIL® Professional Modular Handrail Systems™

FLUSH JOINERS

All sizes in mm - All prices exclude GST



STAIN FINISH

Code	Weight	Price
P5055-16SF	410g	25.20

Code	Weight	Price
P5055-16MP	410g	26.30



STAIN FINISH

Code	Weight	Price
P5010-16SF	875g	39.20

Code	Weight	Price
P5010-16MP	875g	41.45



STAIN FINISH

Code	Weight	Price
P5070-16SF	70g	8.05

Code	Weight	Price
P5070-16MP	70g	8.05



STAIN FINISH

Code	Weight	Price
P5031-16SF	190g	10.70

Code	Weight	Price
P5031-16MP	190g	10.70

PRO RAIL® BASE PLATES

All sizes in mm - All prices exclude GST



Code	Weight	Price
P5100-50MF	395g	16.55



Code	Weight	Price
P5101-50SF	92g	6.70



Code	Weight	Price
P5101-50MP	92g	6.70



Plastic packers help with post levelling and come in 1mm, 1.5mm and 2mm.

Code	Weight	Price
PK-1	1g	0.35
PK-15	1g	0.35
PK-2	1g	0.35

ECON BASE PLATES

All sizes in mm - All prices exclude GST



Code	Weight	Price
E5251-25	135g	5.95
E5251-50	275g	13.95



Code	Weight	Price
E5252-25	100g	6.95
E5252-50	265g	12.85



Code	Weight	Price
E5300-25MF	70g	2.30
E5300-50MF	140g	5.10



Code	Weight	Price
E5301-25SF	30g	4.30
E5301-50SF*	80g	5.00



Code	Weight	Price
E5301-25MP	30g	4.45
E5301-50MP*	80g	5.05


*E5301-50SF/MP are also available with a larger internal hole to allow passage over inserted 6mm nut rivets (splined only).

Includes a range of stylish base plates that can be easily welded, or in some situations may be glued or screwed in place.

ECON LONG LENGTH BASE PLATES


All sizes in mm - All prices exclude GST

Long Length Base Plate Satin Finish AISI 316



Code	Suits	D	T	H	Price
E5253-5016SF	2" x 1.6mm	50	6	75	24.10

Long Length Base Plate Mirror Polish AISI 316



Code	Suits	D	T	H	Price
E5253-5016MP	2" x 1.6mm	50	6	75	23.45

CUSTOM-MADE POSTS

Bring your ideas to life with our in-house post fabrication facility.

Contact us on **1800 022 122** to discuss your requirements



MIAMI STAINLESS


EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

HANDRAIL BRACKETS

All sizes in mm - All prices exclude GST

Handrail Bracket – Wall to Round Handrail AISI 316

Satin Finish Shown




PRO RIG

Code	D	D1	H1	L1	Handrail	Finish	Weight	Price
P1020R-50SF	60	14	60	74	Round	Satin	193g	12.75
P1020R-50MP	60	14	60	74	Round	Mirror	193g	13.00

Order 10G screws separately.

Handrail Bracket – Wall to Round Handrail AISI 316

Satin Finish Shown




PRO RIG

Code	D	D1	H1	L1	T	Handrail	Finish	Weight	Price
P1030R-50SF	60	12	60	74	M8	Round	Satin	193g	19.45
P1030R-50MP	60	12	60	74	M8	Round	Mirror	193g	19.45

Order M8 dual threaded coach screws separately.

Handrail Bracket – Wall to Flat Handrail AISI 316

Mirror Polish Shown




PRO RIG

Code	D	D1	H1	L1	Handrail	Finish	Weight	Price
P1020F-00SF	60	14	55	74	Flat	Satin	267g	12.75
P1020F-00MP	60	14	55	74	Flat	Mirror	267g	13.00

Order 10G screws separately.

Handrail Bracket - Wall to Flat Handrail AISI 316

Mirror Polish Shown



PRO RIG

Code	D	D1	H1	L1	T	Handrail	Finish	Weight	Price
P1030F-00SF	60	12	55	74	M8	Flat	Satin	267g	19.45
P1030F-00MP	60	12	55	74	M8	Flat	Mirror	267g	19.45

Order M8 dual threaded coach screws separately.

HANDRAIL TUBE AISI 316

All sizes in mm - All prices exclude GST

Stainless Steel Tube AISI 316



Code	Size	D	Wall Thickness	Max. Length	Finish	Price
TU-501.6SF	50 x 1.6mm	50	1.6mm	6 metre	Satin (320g)	23.90
TU-501.6MP	50 x 1.6mm	50	1.6mm	6 metre	Mirror (800g)	31.35
TU-503.0SF	50 x 3.0mm	50	3.0mm	6 metre	Satin (320g)	39.20
TU-503.0MP	50 x 3.0mm	50	3.0mm	6 metre	Mirror (800g)	64.60

\$/Metre

Stainless steel tube comes in standard 6 metre lengths or can be cut to length (cutting charges apply). Minimum purchase quantity is 1 metre.

IMPORTANT: Extra freight charges may apply for tube over 4 metres (please check when placing order).

Ultraloc Retaining Compound



Code	Description	Size	Price
ULTRALOC-50	Retaining Compound	50ml	24.90

Suitable for gluing stainless tube and ProRail handrail fittings.



ADDITIONAL SERVICES

All prices exclude GST

Factory Blind Nut Installation



Code	Description	Price
LC-BRN	Insert Blind Nut Rivet	1.00

Miami Stainless factory blind nut installation provides an easy solution to inserting blind nut rivets into your posts. Using high quality tools, our professional installation service eliminates the need to purchase a blind nut installation tool and gives you more time to enjoy your completed project.



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

PRORAIL READY-TO-INSTALL ROUND TUBE POSTS AISI 316

All sizes in mm - All prices exclude GST




- HEAVY DUTY BASE PLATE AS STANDARD
- BASE PLATES FEATURE LEVELLING GRUB SCREWS AND PACKING SHIMS
- CHOICE OF TOP SADDLE TO SUITE YOUR HANDRAIL
- PRE DRILLED HOLES TO SUIT YOUR REQUIREMENTS
- MATCHING COVER PLATE INCLUDED



Note: 1" intermediate posts are only available with welded Econ base plates, Econ cover plates and glue-in top fitting. Nutsert installation is available, see page 12 & 13.

In-house custom post manufacture is available with welded Econ base plates, Econ cover plates and glue in top fitting. Please contact us if you would like to enquire about these posts or want more information.



ProRail Round 2" END Posts AISI 316										
Code	Type	D	T	Top Fitting	Base Fitting	H	Holes	Finish	Price	
P6200F-5016SF	END	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Matte Satin	115.50	
P6200R-5016SF	END	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Matte Satin	115.50	
P6200F-5030SF	END	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Matte Satin	145.00	
P6200R-5030SF	END	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Matte Satin	145.00	
P6200F-5016MP	END	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Mirror Polish	118.50	
P6200R-5016MP	END	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Mirror Polish	118.50	
P6200F-5030MP	END	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Mirror Polish	147.50	
P6200R-5030MP	END	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Mirror Polish	147.50	

ProRail Round 2" CORNER Posts AISI 316										
Code	Type	D	T	Top Fitting	Base Fitting	H	Holes	Finish	Price	
P6210F-5016SF	CORNER	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Matte Satin	121.50	
P6210R-5016SF	CORNER	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Matte Satin	121.50	
P6210F-5030SF	CORNER	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Matte Satin	150.00	
P6210R-5030SF	CORNER	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Matte Satin	150.00	
P6210F-5016MP	CORNER	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Mirror Polish	124.50	
P6210R-5016MP	CORNER	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Mirror Polish	124.50	
P6210F-5030MP	CORNER	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Mirror Polish	153.00	
P6210R-5030MP	CORNER	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Mirror Polish	153.00	

ProRail Round 2" & 1" INTERMEDIATE Posts AISI 316										
Code	Type	D	T	Top Fitting	Base Fitting	H	Holes	Finish	Price	
P6220F-5016SF	CENTRE	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Matte Satin	115.50	
P6220R-5016SF	CENTRE	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Matte Satin	115.50	
P6220F-5016MP	CENTRE	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Mirror Polish	118.50	
P6220R-5016MP	CENTRE	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Mirror Polish	118.50	
PC6220F-2516SF	CENTRE	25.4 (1")	1.6	Flat	E5300-25MF	960	up to 11	Matte Satin	81.50	
PC6220R-2516SF	CENTRE	25.4 (1")	1.6	Round	E5300-25MF	960	up to 11	Matte Satin	81.50	
PC6220F-2516MP	CENTRE	25.4 (1")	1.6	Flat	E5300-25MF	960	up to 11	Mirror Polish	94.00	
PC6220R-2516MP	CENTRE	25.4 (1")	1.6	Round	E5300-25MF	960	up to 11	Mirror Polish	94.00	

ProRail Round 2" ANGLED Posts AISI 316										
Code	Type	D	T	Top Fitting	Base Fitting	H	Holes	Finish	Price	
P6220FA-5016SF	CENTRE	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Matte Satin	118.50	
P6220RA-5016SF	CENTRE	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Matte Satin	118.50	
P6220FA-5016MP	CENTRE	50.8 (2")	1.6	Flat	P5100-50MF	960	up to 11	Mirror Polish	122.00	
P6220RA-5016MP	CENTRE	50.8 (2")	1.6	Round	P5100-50MF	960	up to 11	Mirror Polish	122.00	
P6200FA-5030SF	END	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Matte Satin	151.50	
P6200RA-5030SF	END	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Matte Satin	151.50	
P6200FA-5030MP	END	50.8 (2")	3.0	Flat	P5100-50MF	960	up to 11	Mirror Polish	153.50	
P6200RA-5030MP	END	50.8 (2")	3.0	Round	P5100-50MF	960	up to 11	Mirror Polish	153.50	






MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

SQUARE TUBE POSTS AISI 316

All sizes in mm - All prices exclude GST



Standard flange hole size is 6.5mm

ProRail Square 2" END Posts AISI 316

Code	Type	Size	T	L	W	L1	W1	H	Holes	Finish	Price
P6600-5016SF	END	50.8x50.8 (2")	1.6	100	50	100	100	960	up to 11	Matte Satin	97.00
P6600-5030SF	END	50.8x50.8 (2")	3.0	100	50	100	100	960	up to 11	Matte Satin	127.00
P6600-5016MP	END	50.8x50.8 (2")	1.6	100	50	100	100	960	up to 11	Mirror Polish	124.00
P6600-5030MP	END	50.8x50.8 (2")	3.0	100	50	100	100	960	up to 11	Mirror Polish	167.00

ProRail Square 2" CORNER Posts AISI 316

Code	Type	Size	T	L	W	L1	W1	H	Holes	Finish	Price
P6610-5016SF	CORNER	50.8x50.8 (2")	1.6	75	75	100	100	960	up to 11	Matte Satin	103.50
P6610-5030SF	CORNER	50.8x50.8 (2")	3.0	75	75	100	100	960	up to 11	Matte Satin	133.50
P6610-5016MP	CORNER	50.8x50.8 (2")	1.6	75	75	100	100	960	up to 11	Mirror Polish	130.50
P6610-5030MP	CORNER	50.8x50.8 (2")	3.0	75	75	100	100	960	up to 11	Mirror Polish	173.50

ProRail Square 2" & 1" INTERMEDIATE Posts AISI 316


Code	Type	Size	T	L	W	L1	W1	H	Holes	Finish	Price
P6620-5016SF	CENTRE	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Matte Satin	97.00
P6620-5016MP	CENTRE	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Mirror Polish	124.00
P6620-2516SF	CENTRE	25.4x25.4 (1")	1.6	75	25	75	25	960	up to 11	Matte Satin	86.00
P6620-2516MP	CENTRE	25.4x25.4 (1")	1.6	75	25	75	25	960	up to 11	Mirror Polish	117.00

ProRail Square 2" & 1" ANGLED Posts AISI 316

Code	Type	Size	T	L	W	L1	W1	H	Holes	Finish	Price
P6600A-5016SF	END	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Matte Satin	97.00
P6600A-5016MP	END	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Matte Satin	124.00
P6600A-5030SF	END	50.8x50.8 (2")	3.0	100	50	100	50	960	up to 11	Mirror Polish	127.00
P6600A-5030MP	END	50.8x50.8 (2")	3.0	100	50	100	50	960	up to 11	Mirror Polish	167.00
P6620A-2516SF	CENTRE	25.4x25.4 (1")	1.6	75	25	75	25	960	up to 11	Matte Satin	86.00
P6620A-2516MP	CENTRE	25.4x25.4 (1")	1.6	75	25	75	25	960	up to 11	Matte Satin	117.00
P6620A-5016SF	CENTRE	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Mirror Polish	97.00
P6620A-5016MP	CENTRE	50.8x50.8 (2")	1.6	100	50	100	50	960	up to 11	Mirror Polish	124.00

FLAT BAR AND INTERMEDIATE POSTS AISI 316

All sizes in mm - All prices exclude GST



Standard flange hole size is countersunk 4.5mm

ProRail 40mm FLAT BAR INTERMEDIATE Post AISI 316

Code	Type	Size	L	W	H	Holes	Finish	Price
P6500-4050SF	CENTRE	40x5	50	40	960	up to 11	Matte Satin	75.00

ProRail 40mm FLAT BAR INTERMEDIATE ANGLED Post AISI 316

Code	Type	Size	L	W	H	Holes	Finish	Price
P6500A-4050SF	CENTRE	40x5	50	40	960	up to 11	Matte Satin	75.00

ProRail 50mm RECTANGULAR HOLLOW SECTION INTERMEDIATE Posts AISI 316

Code	Type	Size	L	W	H	Holes	Finish	Price
P6510-5010SF	CENTRE	50x10	70	50	960	up to 11	Matte Satin	86.00
P6510-5010MP	CENTRE	50x10	70	50	960	up to 11	Mirror Polish	88.00

ProRail 50mm RECTANGULAR HOLLOW SECTION INTERMEDIATE ANGLED Posts

Code	Type	Size	L	W	H	Holes	Finish	Price
P6510A-5010SF	CENTRE	50x10	70	50	960	up to 11	Matte Satin	86.00
P6510A-5010MP	CENTRE	50x10	70	50	960	up to 11	Mirror Polish	88.00

DRILL HOLE TEMPLATE

All sizes in mm - All prices exclude GST



Code **PT920**

- Lightweight aluminium
- Ideal for fast install
- Ensure NCC Regulations spacings
- Assists in keeping holes level



\$12.95 (+gst)



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

PRO RAIL
Professional Modular Handrail Systems™

GLASS CLAMPS

All sizes in mm - All prices exclude GST


Model 30 D Shape Glass Clamp Satin Finish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4030-50SF	Round	6,8,10, & 12mm	45	63	29	320g	18.05
P4030-00SF	Flat	6,8,10 & 12mm	45	63	29	310g	17.50

Model 30 D Shape Glass Clamp Mirror Polish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4030-50MP	Round	6,8,10, & 12mm	45	63	29	320g	18.05
P4030-00MP	Flat	6,8,10 & 12mm	45	63	29	310g	17.50

Each clamp includes all rubber inlays to suit 6, 8, 10, & 12mm glass.



Model 40 Square Shape Glass Clamp Satin Finish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4040-50SF	Round	6,8,10mm	45	45	28	247g	10.65
P4040-00SF	Flat	6,8,10mm	45	45	28	247g	14.15

Model 40 Square Shape Glass Clamp Mirror Polish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4040-50MP	Round	6,8,10mm	45	45	28	247g	10.65
P4040-00MP	Flat	6,8,10mm	45	45	28	247g	14.15

Each clamp includes all rubber inlays to suit 6, 8 & 10mm glass.

Model 50 Large Square Shape Glass Clamp Satin Finish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4050-50SF	Round	8,10, & 12mm	55	55	35	433g	17.15
P4050-00SF	Flat	8,10 & 12mm	55	55	35	410g	21.20

Model 50 Large Square Shape Glass Clamp Mirror Polish AISI 316

Code	Suits	Glass	H	L	W	Weight	Price
P4050-50MP	Round	8,10, & 12mm	55	55	35	433g	17.15
P4050-00MP	Flat	8,10 & 12mm	55	55	35	410g	21.20

Each clamp include rubber inlays to suit 8, 10 & 12mm glass.

All model 50 clamps come with bottom support plate included.



P4030-50SF



P4030-00MP



P4040-50SF



P4040-00MP



P4050-50SF



P4050-00MP

- Electropolished for added corrosion resistance
- High-quality AISI 316 marine grade stainless steel

- Competitive prices on the full range
- All clamps and standoffs are available in satin and mirror polish

- Excellent designs with higher quality finish
- Designed specifically for Australian standard 2" (50mm) tube

- Each clamp comes with a FULL set of rubber inlays to suit each glass thickness

STANDOFF BRACKETS


All sizes in mm - All prices exclude GST



MODEL 10
SATIN FINISH



MODEL 20
MIRROR POLISH



Dual Threaded Coach Screws

Model 10 Standoff Brackets AISI 316

Code	Suits	L1	L	D	Thread	Glass Hole	Weight	Finish	Price
P3010-38SF	Flat	10	30	38	M10	14	360g	Satin	12.95
P3010-38MP	Flat	10	30	38	M10	14	360g	Mirror	11.55

Model 20 Standoff Brackets AISI 316

Code	Suits	L1	L	D	Thread	Glass Hole	Weight	Finish	Price
P3020-50SF	Flat	10	30	50	M10	14	636g	Satin	17.50
P3020-50MP	Flat	10	30	50	M10	14	636g	Mirror	24.20

All ProRail glass adapters come with rubber gaskets.

ADJUSTABLE C-SPANNER

Code **CSPAN-ADJ**



\$36.40 (+gst)

Suits 38 - 50mm ProRail Standoff Brackets

GLASS CLAMP ACCESSORIES

All prices exclude GST

Glass Clamp Screw Covers



Code	Suits	Price
PSC-CR	Mirror Polish	0.35
PSC-CR-MATTE	Satin Finish	0.35

Hex Head Cap Screw AISI 316



Suits glass clamps

Code	Thread	Hex	Price
SCAP-0820	8mm	6mm A.F	0.19



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

STAINLESS STEEL CLEANING PRODUCTS

All sizes in mm - All prices exclude GST

Peek Polish

Code	Description	Price
PEEK-100	Peek Clean & Polish for All Metals 100ml	7.75



The Peek polish range is a highly concentrated formula that removes tarnish, heat discoloration & oxidation from all metal surfaces including stainless steel, gold, silver, brass, copper, bronze, aluminium, pewter and magnesium. Peek polish is particularly good when maintaining stainless steel in areas close to corrosive substances such as salt or areas affected by high winds, pollution or temperatures. These elements can result in a brown discoloration called tea staining.

Marine Stainless 2 in 1

Code	Description	Price
MARINE-250	Marine Stainless 2 in 1 Metal Cleaner & Protector 250ml	29.45



Marine Stainless 2 in 1 is an invisible, anti-corrosive treatment where the surface preparation is included with the protective solution. It provides long-term corrosion protection on a range of metal surfaces. The slight abrasive properties clean and remove all dirt and contaminants, while the protective components adhere directly to the substrate to provide a long lasting, easy to clean and protected surface. The treatment is resistant to friction, is UV stable and handles temperature changes. Treated surfaces repel water and are protected against the elements. Marine Stainless 2 in 1 is especially suited for protection of stainless steel. Once a metal surface has been treated, almost everything can be simply removed with a damp cloth.

GROMMETS

All sizes in mm - All prices exclude GST

Grommets - UV Stabilised

Code	Colour	Drill Size	Centre Hole	Surface	Price
GROM-G	Grey	11/32"	6.2mm	Flat	0.22
GROM-B	Black	11/32"	6.2mm	Flat	0.22
GROM-GC	Grey	11/32"	7.2mm	Curved	0.70
GROM-BC	Black	11/32"	7.2mm	Curved	0.70
GROM-G1	Grey	11/32"	6.2mm	1" Curved	0.22
GROM-B1	Black	11/32"	6.2mm	1" Curved	0.22
GROM-GS	Grey	9mm	4.2mm	Flat	0.69
GROM-BS	Black	9mm	4.2mm	Flat	0.69
GROM-G37	Grey	11mm	4.2mm	37 Deg Flat	1.03
GROM-B37	Black	11mm	4.2mm	37 Deg Flat	1.03



UV stabilised grommets protect from chafe and electrolysis when passing stainless steel wire through aluminium or steel posts. Grommets are available to suit flat, curved and angled surfaces and come in standard and small sizes. Flat grommets are best used on straight stainless steel wire balustrade sections. Grommets can also be used on timber posts and give a neat appearance and finish.



Grommets - UV Stabilised (to suit stair sections and RHS posts)

Code	Colour	Drill Size	Centre Hole	Surface	Price
GROM-BRHS	Black	9.5mm	6.2mm	Flat	0.22
GROM-GRHS	Grey	9.5mm	6.2mm	Flat	0.22

For a secure fit, drill a 9.5mm hole and tap in. On stair sections or for an easier push in fit (with minimal risk of back out) a hole size up to 9.9mm (25/64") may be used.



PICTURE: GROM-B37 grommets installed on a 37° stair angle post.



PICTURE: GROM-BRHS grommets installed on an RHS intermediate post.

FASTENERS

Screws AISI 316/304

PER 100

Code	Size	Length	Head	Drive	Suits	Price 304g	Price 316g
SSTP(4/6)-0625	6	25mm	CSK	Phillips	Wood	4.00	5.00
SSTP(4/6)-0632	6	32mm	CSK	Phillips	Wood	4.00	7.00
SSTP(4/6)-0638	6	38mm	CSK	Phillips	Wood	5.00	9.00
SSTP(4/6)-0825	8	25mm	CSK	Phillips	Wood	4.00	8.00
SSTP(4/6)-0832	8	32mm	CSK	Phillips	Wood	5.00	9.00
SSTP(4/6)-0838	8	38mm	CSK	Phillips	Wood	4.00	-
SSTP(4/6)-0844	8	44mm	CSK	Phillips	Wood	4.00	14.00
SSTP(4/6)-0850	8	50mm	CSK	Phillips	Wood	4.00	14.00
SSTP(4/6)-1032	10	32mm	CSK	Phillips	Wood	8.00	15.00
SSTP(4/6)-1038	10	38mm	CSK	Phillips	Wood	9.00	20.00
SSTP(4/6)-1044	10	44mm	CSK	Phillips	Wood	10.00	-
SSTP(4/6)-1050	10	50mm	CSK	Phillips	Wood	10.00	-
SSTP(4/6)-1250	12	50mm	CSK	Phillips	Wood	18.00	-
SSTP(4/6)-1438	14	38mm	CSK	Phillips	Wood	18.00	-
SSTP(4/6)-1450	14	50mm	CSK	Phillips	Wood	18.00	-
SSTS4-0832SQ	8	32mm	CSK	Square	Wood	4.00	-
SSTS4-0838SQ	8	38mm	CSK	Square	Wood	4.00	-
SSTS4-0844SQ	8	44mm	CSK	Square	Wood	4.00	-
SSTS4-0850SQ	8	50mm	CSK	Square	Wood	4.00	-
SSTS4-1032SQ	10	32mm	CSK	Square	Wood	4.00	-
SSTS4-1044SQ	10	44mm	CSK	Square	Wood	4.00	-
SSTS4-1050SQ	10	50mm	CSK	Square	Wood	6.00	-
SSTS4-1250SQ	12	50mm	CSK	Square	Wood	9.00	-
ST17S-1050	10	50mm	CSK	Square	T17 Wood	11.00	-
SSDP4-0813	8	13mm	PAN	Phillips	Steel	32.00	-
SSDS4-0820SQ	8	20mm	CSK	Square	Steel	18.00	-
SSDP4-1022	10	22mm	WH	Phillips	Steel	51.00	-



Rivets AISI 316

Code	Rivet Diametre	Drill Size	Grip Range	Price
SPOP-53	4.0mm	4.1mm	3.2-4.8mm	0.04
SPOP-54	4.0mm	4.1mm	4.8-6.4mm	0.05
SPOP-55	4.0mm	4.1mm	6.4-7.9mm	0.06
SPOP-63	4.8mm	4.9mm	3.2-4.8mm	0.09
SPOP-64	4.8mm	4.9mm	4.8-6.4mm	0.07
SPOP-65	4.8mm	4.9mm	6.4-7.9mm	0.11
SPOP-66	4.8mm	4.9mm	7.9-9.5mm	0.20
SPOP-86	6.4mm	6.5mm	6.4-9.6mm	0.29

Button Head Screw AISI 304

(To suit inside Thread Terminals & Threaded Forks)

Code	Thread	Length	Head	Drive	Grade	Price
SSOC-0640	6mm	40mm	BUT Soc	Allen Key	304	0.10


For use with Miami Stainless inside threaded terminals and threaded forks to make a tensioning system. These are also suitable for many general purpose applications.

Dual Threaded Coach Screw

S3183-081638 Shown

Code	Thread	Hex Drive	L	L1	L2	Price
S3183-081337	M8	N/A	53	13	37	0.85
S3183H-083036	M8	4mm	70	30	36	2.19
S3183-081638	M8	N/A	68	16	38	1.34
S3183-102050	M10	N/A	69	20	50	2.42

Miami Stainless dual threaded coach screws are specifically designed to attach ProRail standoff brackets as well as wall to handrail brackets.





MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

WIRE ROPE CUTTERS

All sizes in mm - All prices exclude GST



Code	Cuts ST/ST	Length	Weight	Brand	Price
WC-04CR	4mm	195	305g	Croc	11.70
WC-04HIT	4mm	195	305g	HIT	48.15
WC-06HIT	6mm	335	706g	HIT	165.05
WC-06OPT	6mm	450	1.5kg	OPT	87.70
WC-08OPT	8mm	600	2.1kg	OPT	104.15
WC-08EC	8mm	450	1.8kg	Econ	46.50
WC-10HIT	10mm	520	1.1kg	HIT	342.25



NUT RIVET TOOLS & MANDRELS

All sizes in mm - All prices exclude GST

HN-02 Nut Rivet (Nutsert) Tool



Code	Description	S/S Nut Rivet	Brand	Quality	Price
HN-02	Heavy Duty Nut Rivet Insert Tool	M4-M10	SRC	Very Good	145.90

Nut rivet tools are great for installing a threaded fixing point into posts for glass clamps and wire end fixings. For nut rivets see page 20.

IMPORTANT: The HN-02 has been specifically designed to insert LHT nutserts. Standard nutsert tools will not insert them.



Scan this QR code with your smart phone to see our video on HN-02 set up.



Replacement Nut Rivet (Nutsert) Tool Mandrels

Code	Thread	Price HN-02
MN-4	4mm	6.70
MN-5	5mm	11.30
MN-6	6mm	11.30
MN-6LHT	6mm LHT	11.30
MN-8	8mm	10.15

DRILL BITS

All sizes in mm - All prices exclude GST

Sutton Cobalt Drill Bits



- Point Type & Angle:**
Split 135°
- Material:**
Cobalt
- Surface Finish:**
Colour Tempered Cobalt
- Suitable for:**
Metal / Stainless Steel /

Code	Size	OAL	FL	Price
DCB-030	3.0	61	33	4.98
DCB-035	3.5	70	39	5.46
DCB-040	4.0	75	43	6.26
DCB-045	4.5	80	47	6.85
DCB-050	5.0	86	52	8.10
DCB-055	5.5	93	57	9.33
DCB-060	6.0	93	57	10.74
DCB-065	6.5	101	63	11.59
DCB-070	7.0	109	69	13.55
DCB-075	7.5	109	69	15.35

OAL = Over All Length FL = Flute Length

Code	Size	OAL	FL	Price
DCB-080	8.0mm	117	75	16.54
DCB-085	8.5mm	117	75	18.21
DCB-090	9.0mm	125	81	19.96
DCB-095	9.5mm	125	81	22.34
DCB-100	10.0mm	133	87	23.81
DCB-110	11.0mm	133	87	31.13
DCB-120	12.0mm	151	101	39.64
DCB-130	13.0mm	151	101	46.87
DCB-0873	11/32"	119	86	19.58

Sutton Viper Drill Bits



- Point Type & Angle:**
Viper 118°
- Material:**
Hss
- Surface Finish:**
Bright
- Suitable for:**
Metal / Wood / Plastic

Code	Size	OAL	FL	Price
DVP-030	3.0	61	33	2.21
DVP-035	3.5	70	39	2.41
DVP-040	4.0	75	43	2.74
DVP-045	4.5	80	47	2.97
DVP-050	5.0	86	52	3.47
DVP-055	5.5	93	57	3.98
DVP-060	6.0	93	57	4.47
DVP-065	6.5	101	63	5.00
DVP-070	7.0	109	69	5.73
DVP-075	7.5	109	69	6.46

OAL = Over All Length FL = Flute Length

Code	Size	OAL	FL	Price
DVP-080	8.0mm	117	75	6.95
DVP-085	8.5mm	117	75	7.77
DVP-090	9.0mm	125	81	8.55
DVP-095	9.5mm	125	81	9.43
DVP-100	10.0mm	133	87	10.10
DVP-110	11.0mm	133	87	13.07
DVP-120	12.0mm	151	101	16.54
DVP-130	13.0mm	151	101	19.52
DVP-0873	11/32"	119	86	8.21

Sutton Long Series Drill Bits



- Surface Finish:**
Bright Blue
- Suitable for:**
Metal / Wood / Plastic
- Point Type & Angle:**
Standard 118°
- Material:**
Hss

OAL = Over All Length FL = Flute Length

Code	Size	OAL	FL	Price
DLS-040	4.0	146	86	7.25
DLS-050	5.0	152	92	9.64
DLS-075	7.5	162	102	16.81



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

HYDRAULIC SWAGING TOOLS

(For Swaging Stainless Terminals, Copper and Aluminium Sleeves) All sizes in mm - All prices exclude GST

Hex Dies For Swage Press

Code	Description	Price
DIE-2.5,3	Die to suite 2.5 & 3.2mm wire	380.00
DIE-2.5	2.5mm Die	260.00
DIE-3.2	3.2mm Die	260.00
DIE-3,3	3.2 & 3.2 Combination Die	380.00
DIE-3,4	3.2 & 4mm Combination Die	380.00
DIE-4	4mm Die	260.00
DIE-5	5mm Die	260.00
DIE-6	6mm Die	260.00



Hydraulic Swage Press

Dies sold separately.

Code	Description	Price
CO-630	30 Tonne Hydraulic Press for swaging of up to 6mm Stainless Terminals	1495.00

Many highly desired streamline stainless steel wire balustrade systems require hydraulic swaging. A hydraulic swage press is easy to use and gives a neater, more consistent result.



Hydraulic Hand Gauge

Code	Suits	Brand	Price
GA-1000	CO-630	OPT	81.55

A worthwhile investment to help prevent putting excess pressure on your swage press and cuts down swaging time significantly by reducing the time spent swaging stainless terminals.



Hydraulic Air Pump

Foot controlled for quick repetition.

Code	Description	Brand	Price
PAF-15	Air/Hyd Pump	BVA	865.00

Featuring a high strength reinforced alloy aluminium reservoir, dual stage release valve and internal pressure relief valve for overload protection, the PAF-15 is designed to be used with single acting cylinders and operates in all positions including vertical and horizontal. Maximum working load of the PAF-15 is 700 bar with a suggested air pressure range of 6 – 12 bar.



Tension Gauge

Code	Description	Price
PT-1M	Tension Gauge	167.00

BCA regulations for wire balustrade require that each balustrade wire must reach a specified tension to comply with the code. This easy to use gauge allows hands free tensioning and saves guessing if the wires are the correct tension. After using the gauge you will find that you can plan future projects to keep the amount of wires and post used to the minimum needed and possibly save on future costs.



Hydraulic Hand Pump

Code	Description	Price
HP-1	Hand Pump for 30 Tonne Press	389.00

This hand pump suits a 30 tonne press and allows for hydraulic swaging of terminals on-site. The HP-1 features maximum pressure of 700kg/cm², reservoir capacity of 700cc, 2 speed down and weighs 8kg.



CROC HAND SWAGING TOOLS

All sizes in mm - All prices exclude GST

Croc® professional hand swaging tools are high quality and specifically designed for use with copper and nickel plated copper swaging sleeves.

Croc DIY Hand Swager & Cutter

- Ideal for DIY use
- Swages 1.5mm to 3.2mm wire



Scan this QR code with your smart phone to see our hand swaging video.

This tool incorporates both swaging and cutting functions to provide quick and easy installation.

Code	Swages Wire	Brand	Length	Weight	Quality	Price
HS-14CR	1.5, 2, 2.5, 3, & 3.2	Croc	360	930g	Average	35.55

Croc HS-345CR Professional Hand Swaging Tools

- Ideal for shade sail installations
- Swages 3, 3.2, 4 & 5mm wire
- Recommended for high repetition use



Code	Swages Wire	Brand	Length	Weight	Quality	Price
HS-345CR	3, 3.2, 4 & 5mm	Croc	780	3.8kg	Very Good	66.50

ESSENTIAL TOOLS

All sizes in mm - All prices exclude GST

Screw Eye Drive Bit AISI 304



Code	Suits	Price
SBIT-SE1	5mm & 6 x 60 EC Range	7.45
SBIT-SE2	6mm ProRig Range	9.40

Drive Bit for Threaded Inserts



Code	Size	Drive	Price
SBIT-HX6	6mm AF	Hex	0.85
SBIT-HX8	8mm AF	Hex	1.40

Drive Bit for Screws



Code	Description	Suits	Price
SBIT-PH250	2 X 50	Phillips	2.20
SBIT-SQ225	2 X 25	Square	0.85
SBIT-SQ250	2 X 50	Square	1.40



MIAMI STAINLESS

EXPECT QUALITY- EXPECT SERVICE - EXPECT VALUE

INSTANT ONLINE BALUSTRADE QUOTES



VISIT

www.miamistainless.com.au/wire-balustrade-builder

RESOURCES

Online Knowledge Centre

- Electronic Trade Brochures
- 'How To' Videos
- Tips & Tricks
- Product Reviews
- Instruction Sheets



www.miamistainless.com.au

STAINLESS STEEL POOL SPIGOTS

All sizes in mm - All prices exclude GST

NEW

P6020SQ-50MP Deck Mounted Clamp

\$50.00 each
price includes cover plate plate

Miami Stainless deck mounted spigots are high quality 2205 grade (duplex) stainless steel and include cover plate, clamping plate and rubbers. Miami Stainless deck mounted clamps can be installed after all other trades have finished reducing the risk of damage to the clamps or glass panels.



NEW

P6030SQ-50MP Core Drilled Clamp

\$50.00 each
price includes cover plate

Miami Stainless core drilled spigots are high quality 2205 grade (duplex) grade stainless steel and include cover plate, clamping plate and rubbers.



2205 Grade (Duplex) Stainless Steel

Its high chromium and molybdenum content gives the stainless steel excellent corrosion resistance

High strength

High resistance to corrosion, particularly stress corrosion cracking, corrosion fatigue and erosion

2205 has excellent corrosion resistance and is superior to 316 marine grade.



FREE Australia Wide Shipping

For Orders Over \$200^{+GST}

TERMS & CONDITIONS

© COPYRIGHT MIAMI STAINLESS 2016. All images contained in this brochure are the copyright of Miami Stainless Pty Ltd and are not to be copied without permission.

Prices: Every effort will be made to maintain prices as quoted in this brochure, however due to increased volatility in the stainless steel market Miami Stainless cannot guarantee these prices for an extended period of time and reserves the right to change these prices without prior notice. All prices quoted in this brochure are trade prices and are only valid to the intended recipient.

Price Match Guarantee: The item must be in stock, the items must be identical, we need to be able to verify the offer being made. Price Match Guarantee request must be made at the time of purchase, does not include quotes from online or sole traders, the item quantity for the Price Match Guarantee must be the same as that on the offer.

Disclaimer: Whilst every effort has been made to ensure all product specifications are accurate; Miami Stainless Pty Ltd highly recommends getting confirmation of these before placing an order if they are important to the purchases. Miami Stainless Pty Ltd will not be held responsible for any deviations in product specifications contained within this brochure.

Quality: The stainless steel hardware you purchase from Miami Stainless comes from suppliers of only the highest quality products. Although these higher quality products are more expensive for us to buy, the end user will be more than satisfied with its long term dependability. Not all 316 grade stainless is the same quality. We regularly test samples from other suppliers and find that dependable, trusted quality is hard to come by. Products described as 316 can often have a rust resistance less than 304. These stainless products are cheap but can rust quickly. This "cheap" stainless can end up being very expensive if it fails in an installation and you are required to replace all of your original work at your own cost. As an installer of stainless products you will want a product that will not let you down. Miami Stainless is pleased to offer you dependable, trusted quality products at a good price.

Payment: Payment is required before we can dispatch your order. We can accept Visa, MasterCard and Bankcard over the phone, or you can transfer the amount into our account via internet banking or by direct deposit at the bank. (Please fax us the remittance as the amount may not show up in our account until the following day).

ABN: 62 101 809 796

Bank Details: WESTPAC – BSB NO. 034238 – ACCOUNT NO: 174217

Delivery: Immediate dispatch of all goods displayed in this catalogue:

By Road: for a maximum charge of \$10-\$15 (Australia Wide)

Free road express shipping for orders over \$200 excluding GST.

By Air: for around \$4.00 per kilo. (Australia Wide)

Excludes handrail tube.



facebook.com/miamistainless